



ELECTRAA



ILLUMINATING INNOVATION

UNVEILING A SPECTRUM

LED POSSIBILITIES



ABOUT

At Electraa, we believe that light is more than just illumination; it's an art form that has the power to transform spaces, evoke emotions, and create unforgettable experiences. As a pioneering LED brand, we are dedicated to pushing the boundaries of lighting technology to bring you innovative solutions that enhance your surroundings and elevate your lifestyle.

VISION AND VALUES

Our vision is simple yet profound: to be the beacon of innovation in the lighting world. We strive to create products that not only illuminate spaces but also inspire creativity and enhance well-being. Our core values of innovation, excellence, sustainability, and customer-centricity drive every decision we make and every product we design.

INNOVATIVE LIGHTING SOLUTIONS

At Electraa, innovation is at the heart of everything we do. Our team of skilled engineers and designers work tirelessly to develop cutting-edge lighting solutions that marry form and function seamlessly. From elegantly designed residential lighting to state-of-the-art commercial installations, our products are engineered to exceed expectations and set new industry standards.

EXCELLENCE IN CRAFTSMANSHIP

Craftsmanship is the backbone of our brand. Each Light Electraa product is a testament to the meticulous attention to detail and the unwavering dedication to quality that we uphold. We believe that the art of lighting lies not only in the technology but also in the craftsmanship that brings that technology to life.



TABLE OF CONTENT

1. Post-Top Pole Light.....	04-24
2. Flood Light.....	25
3. Outdoor Wall Mount Street Light.....	26-27
4. Mashroom Bollard Light.....	28
5. Garden Bollard Light.....	29-35
6. COB Cylinder.....	36
7. Outdoor COB Cylinder IP65.....	37
8. Outdoor Lens COB Cylinder IP65.....	38-39
9. Surface Light.....	40
10. Outdoor Wall Light.....	41-55
11. Foot Light.....	56-59
12. Garden Spike Light.....	60-61



ELECTRAA

POST TOP LIGHT



EL-101

Wattage : 30 watt

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-102

Wattage : 30 +30 = 60watt

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K







ELECTRAA

POST TOP LIGHT



EL-103
Wattage : 30 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-104
Wattage : 50 watt

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR


3000K | 4000K | 6000K






ELECTRAA

POST TOP LIGHT



EL-105

Wattage : 50 watt



EL-106

Wattage : 50 +50 = 100watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR


Graphite Gray

LIGHT COLOUR


3000K | 4000K | 6000K




300MM



500MM



900MM







ELECTRAA

POST TOP LIGHT



EL-107

Wattage : 50 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-108

Wattage : 50+10 = 100 watt

MATERIAL



Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL-109

Wattage : 50 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-110

Wattage : 50 +50 = 100 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



ELECTRAA

POST TOP LIGHT



EL-201

Wattage : 50 watt



EL-202

Wattage : 100 watt



EL-203

Wattage : 50 watt

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-204

Wattage : 50 watt



ELECTRAA

POST TOP LIGHT



EL-205

Wattage : $50+50+50 = 150$ watt

$30+30+30 = 90$ watt

$24+24+24 = 72$ watt

MATERIAL


Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





POST TOP LIGHT



EL-206

Wattage : 50+50 = 100 watt

24+24= 48 watt

30+30= 60 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL-807

Wattage : 50 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



ELECTRAA

POST TOP LIGHT



EL-808

**Wattage : 50 watt
100 watt**

MATERIAL

ALUMINIUM DIE CASTING + ALUMINIUM PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



ELECTRAA

POST TOP LIGHT



EL-207
Wattage : 50 watt

MATERIAL


Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K



EL-208
Wattage : 50+50 = 100 watt

MATERIAL


Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K





ELECTRAA

POST TOP LIGHT



EL-209
Wattage : 50 watt



EL-210
Wattage : 100 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL-301

Wattage : 50+50 = 100 watt

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-302

Wattage : 50 watt

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL-303

Wattage : 50+50 = 100watt

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL-304

Wattage : 50 watt



EL-305

Wattage : 50+50=100 watt



EL-306

Wattage : 50+50=100 watt

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL-307

Wattage : 50 watt



EL-308

Wattage : 50 watt



EL-309

Wattage : 50 watt

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT




EL-310

Wattage : 50 watt



EL-401

Wattage : 100 watt



EL-402

Wattage : 50+50=100 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K





ELECTRAA

POST TOP LIGHT



EL-50501

Wattage : 50 watt



EL-403

Wattage : 50 watt



EL-404

Wattage : 30 watt

MATERIAL



Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K



POST TOP LIGHT



EL-405

Wattage : 12 watt

EL-406

Wattage : 18 watt

EL-407

Wattage : 24 watt

EL-408

Wattage : 30 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL




Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K







ELECTRAA

POST TOP LIGHT



MASHROOM BOLLARD
Wattage : 12 watt



MASHROOM BOLLARD
Wattage : 12 watt



MASHROOM BOLLARD
Wattage : 12 watt



MASHROOM BOLLARD
Wattage : 12 watt

EL-405

MATERIAL


Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT




Wattage : 6 watt



Wattage : 6 watt



Wattage : 6 watt



EL-406



MATERIAL
Aluminium Casting + GI Pipe

BODY COLOUR
Graphite Gray

LIGHT COLOUR
3000K | 4000K | 6000K



EL-407






ELECTRAA

POST TOP LIGHT



EL - 408

Wattage : 15 watt



EL - 409

Wattage : 15+15= 30 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K



MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR


3000K





ELECTRAA

POST TOP LIGHT



EL -501

Wattage : 15 watt

EL - 502

Wattage : 15+15= 30 watt

MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K



MATERIAL

Aluminium Casting + GI Pipe

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K





ELECTRAA

POST TOP LIGHT



EL - 503
Wattage : 14 watt
2 FT / As Per Req.



EL - 504
Wattage : 15 watt
2 FT / As Per Req.



EL - 505
Wattage : 15 watt
2 FT / As Per Req.



EL - 506
Wattage : 15 watt
2 FT / As Per Req.

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL - 507

Wattage : 15 watt
2 FT / As Per Req.

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL - 508

Wattage : 7 watt
2 FT / As Per Req.

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



EL - 509

Wattage : 15 watt
2 FT / As Per Req.

MATERIAL

GI PIPE

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K



POST TOP LIGHT



EL - 510
Wattage : 3 watt

EL - 601
Wattage : 7 watt

EL - 602
Wattage : 12 watt

EL - 603
Wattage : 18 watt

MATERIAL
Aluminium Casting

BODY COLOUR
Graphite Gray

LIGHT COLOUR
3000K | 4000K | 6000K

MATERIAL
Aluminium Casting

BODY COLOUR
Graphite Gray

LIGHT COLOUR
3000K | 4000K | 6000K

MATERIAL
Aluminium Casting





BODY COLOUR
Graphite Gray

LIGHT COLOUR
3000K | 4000K | 6000K

MATERIAL
Aluminium Casting

BODY COLOUR
Graphite Gray

LIGHT COLOUR
3000K | 4000K | 6000K







ELECTRAA

POST TOP LIGHT



EL - 604

Wattage : 15 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Grey | Black

LIGHT COLOUR

3000K | 4000K | 6000K



EL - 605

Wattage : 7 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Grey | Black

LIGHT COLOUR

3000K | 4000K | 6000K



EL - 606

Wattage : 12 watt

MATERIAL


Aluminium Casting

BODY COLOUR

Graphite Grey | Black

LIGHT COLOUR


3000K | 4000K | 6000K





ELECTRAA

POST TOP LIGHT



EL - 607
Wattage : 3 watt

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K

EL - 608
Wattage : 18 watt

MATERIAL




Aluminium Casting

BODY COLOUR

Graphite Gray

LIGHT COLOUR

3000K | 4000K | 6000K







ELECTRAA

POST TOP LIGHT



EL - 609

Wattage : 3 watt 1 Way

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Grey

LIGHT COLOUR

3000K



EL - 610

Wattage : 5 watt 2 Way

MATERIAL

Aluminium Casting

BODY COLOUR

Graphite Grey

LIGHT COLOUR

3000K



EL - 804

Wattage : 12 watt 4 Way

MATERIAL



Aluminium Casting

BODY COLOUR

Graphite Grey

LIGHT COLOUR

3000K





ELECTRAA

POST TOP LIGHT




EL - 805
Wattage : 3 watt

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K | 4000K | 6000K



EL - 806
Wattage : 18 watt

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K | 4000K | 6000K







ELECTRAA

POST TOP LIGHT



EL - 701
Wattage : 6 watt



EL - 702
Wattage : 9 watt



EL - 703
Wattage : 12 watt






EL - 704
Wattage : 30 watt

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K







ELECTRAA

POST TOP LIGHT




EL - 705
Wattage : 3 watt 1

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K



EL - 706
Wattage :6 watt 2 Way

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K







ELECTRAA

POST TOP LIGHT



EL - 707
Wattage : 6 watt

EL - 801
Wattage : 9 watt

EL - 802
Wattage : 12 watt



EL - 803
Wattage : 30 watt

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K

MATERIAL
Aluminium Casting
BODY COLOUR
Graphite Gray
LIGHT COLOUR
3000K





Mfg of All type Led Lighting Fixtures

MO. : 8200886841

**Plot No.18, First Floor, Ambika Industrial-2,
Near Navjeevan Circle, Udhana - Magdalla
Road, Surat -3950017**